

<b>1.</b>	<b>GENERAL INFORMATION</b>		
1.1	Date updated:	Sep 10, 2018	
1.2	Vessel's name (IMO number):	Oracliff (9229532)	
1.3	Vessel's previous name(s) and date(s) of change:	Cliffwater (Aug 14, 2018)	
1.4	Date delivered / Builder (where built):	Jun 04, 2002 / Breko newbuilding	
1.5	Flag / Port of Registry:	Denmark / Svendborg	
1.6	Call sign / MMSI:	OYAM2 / 219024550	
1.7	Vessel's contact details (satcom/fax/email etc.):	Tel: +45 40464633	
		Fax:	
		Email: oracliff@mhsimonsen.com	
1.8	Type of vessel (as described in Form A or Form B Q1.11 of the IOPPC):	Chemical	
1.9	Type of hull:	Double Hull	

**Ownership and Operation**

1.10	Registered owner - Full style:	Rederiet M.H.Simonsen Aps Christiansmindevej 76 5700 Svendborg Denmark Tel: +45 62202033 Fax: N/A Telex: n/a Email: mhs@mhsimonsen.com Web: www.mhsimonsen.com	
1.11	Technical operator - Full style:	Rederiet M.H.Simonsen Aps Christiansmindevej 76 5700 Svendborg Denmark Tel: +45 62202033 Fax: n/a Telex: n/a Email: mhs@mhsimonsen.com Web: www.mhsimonsen.com Company IMO#: 0243438	
1.12	Commercial operator - Full style:	Simonsen Chartering Aps Christiansmindevej 76 5700 Svendborg Denmark Tel: +45 62202033 Fax: n/a Telex: n/a Email: sc@simchart.com Web: www.simchart.com	
1.13	Disponent owner - Full style:		

**Insurance**

1.14	P & I Club - Full Style:	SKULD	
1.15	P & I Club pollution liability coverage / expiration date:	1,000,000,000 US\$	Feb 20, 2019
1.16	Hull & Machinery insured by - Full Style: (Specify broker or leading underwriter)	Skuld N-0114 Oslo Norway	
1.17	Hull & Machinery insured value / expiration date:	8,000,000 US\$	Feb 20, 2019

**Classification**

1.18	Classification society:	Bureau Veritas	
1.19	Class notation:	100A1 oil / chemicaltanker. ship type 2, S.G. 1.5.,ESP, LI, LMC / UMS	
1.20	Is the vessel subject to any conditions of class, class extensions, outstanding memorandums or class recommendations? If yes, give details:	No	
1.21	If classification society changed, name of previous and date of change:	Lloyds Register, Aug 14, 2018	
1.22	Does the vessel have ice class? If yes, state what level:	No,	
1.23	Date / place of last dry-dock:	May 22, 2015 / Rotterdam	
1.24	Date next dry dock due / next annual survey due:		
1.25	Date of last special survey / next special survey due:		
1.26	If ship has Condition Assessment Program (CAP), what is the latest overall	No,	

	rating:				
<b>Dimensions</b>					
1.27	Length overall (LOA):				91.29 m
1.28	Length between perpendiculars (LBP):				88.14 m
1.29	Extreme breadth (Beam):				12.00 m
1.30	Moulded depth:				6.80 m
1.31	Keel to masthead (KTM) / Keel to masthead (KTM) in collapsed condition, if applicable:		26.20 m		m
1.32	Distance bridge front to center of manifold:				32.65 m
1.33	Bow to center manifold (BCM) / Stern to center manifold (SCM):		40.00 m		51.00 m
1.34	Parallel body distances:		Lightship	Normal Ballast	Summer Dwt
	Forward to mid-point manifold:		0 m	29.50 m	32.00 m
	Aft to mid-point manifold:		0 m	29.50 m	32.00 m
	Parallel body length:		0 m	59 m	64 m
<b>Tonnages</b>					
1.35	Net Tonnage:				920.00
1.36	Gross Tonnage / Reduced Gross Tonnage (if applicable):		2,144.00		
1.37	Suez Canal Tonnage - Gross (SCGT) / Net (SCNT):				
1.38	Panama Canal Net Tonnage (PCNT):				0
<b>Loadline Information</b>					
1.39	Loadline	Freeboard	Draft	Deadweight	Displacement
	Summer:	1.55 m	5.26 m	3,701.00 MT	5,026.00 MT
	Winter:	1.66 m	5.15 m	3,584.00 MT	4,914.00 MT
	Tropical:	1.44 m	5.37 m	3,706 MT	5,138.00 MT
	Lightship:	3.82 m	2.99 m	Not Applicable	1,325.00 MT
	Normal Ballast Condition:	3.87 m	2.94 m	2,809 MT	2,590 MT
	Segregated Ballast Condition:	3.60 m	3.20 m	1,940.00 MT	3,250.00 MT
1.40	FWA/TPC at summer draft:			121.00 mm	10.20 MT
1.41	Does vessel have multiple SDWT? If yes, please provide all assigned loadlines:		Yes		
1.42	Constant (excluding fresh water):				MT
1.43	What is the company guidelines for Under Keel Clearance (UKC) for this vessel?			Open water 5 m Restricted waters 0.5 m Harbour/pilot 0.5 m	
1.44	What is the max height of mast above waterline (air draft)			Full Mast	Collapsed Mast
	Summer deadweight:			20.94 m	0 m
	Normal ballast:			22.40 m	0 m
	Lightship:			23.21 m	0 m
<b>2. CERTIFICATES</b>					
2.1	Safety Equipment Certificate (SEC):	Issued	Last Annual	Last Intermediate	Expires
2.2	Safety Radio Certificate (SRC):				
2.3	Safety Construction Certificate (SCC):				
2.4	International Loadline Certificate (ILC):				
2.5	International Oil Pollution Prevention Certificate (IOPPC):				
2.6	International Ship Security Certificate (ISSC):				
2.7	Maritime Labour Certificate		Not Applicable		

	(MLC):				
2.8	ISM Safety Management Certificate (SMC):				
2.9	Document of Compliance (DOC):				
2.10	USCG Certificate of Compliance (USCGCOC):				
2.11	Civil Liability Convention (CLC) 1992 Certificate:	Aug 14, 2018	Not Applicable	Not Applicable	Feb 20, 2019
2.12	Civil Liability for Bunker Oil Pollution Damage Convention (CLBC) Certificate:	Aug 14, 2018	Not Applicable	Not Applicable	Feb 20, 2019
2.13	Liability for the Removal of Wrecks Certificate (WRC):	Aug 14, 2018	Not Applicable	Not Applicable	Feb 20, 2019
2.14	U.S. Certificate of Financial Responsibility (COFR):	Not Applicable	Not Applicable	Not Applicable	Not Applicable
2.15	Certificate of Class (COC):				
2.16	International Sewage Pollution Prevention Certificate (ISPPC)		Not Applicable	Not Applicable	
2.17	Certificate of Fitness (COF):				
2.18	International Energy Efficiency Certificate (IEEC):		Not Applicable	Not Applicable	Not Applicable
2.19	International Air Pollution Prevention Certificate (IAPPC):				

#### Documentation

2.20	Owner warrant that vessel is member of ITOPF and will remain so for the entire duration of this voyage/contract:	Yes
2.21	Does vessel have in place a Drug and Alcohol Policy complying with OCIMF guidelines for Control of Drugs and Alcohol Onboard Ship?	Yes
2.22	Is the ITF Special Agreement on board (if applicable)?	N/A
2.23	ITF Blue Card expiry date (if applicable):	Not Applicable

#### 3. CREW

3.1	Nationality of Master:	Danish
3.2	Number and nationality of Officers:	6 Danish/Polish/Ukraine
3.3	Number and nationality of Crew:	4 Ukrainian/Polish
3.4	What is the common working language onboard:	English
3.5	Do officers speak and understand English:	Yes
3.6	If Officers/Crew employed by a Manning Agency - Full style:	Officers: n/a  Crew: n/a

#### 4. FOR USA CALLS

4.1	Has the vessel Operator submitted a Vessel Spill Response Plan to the US Coast Guard which has been approved by official USCG letter?	N/A
4.2	Qualified individual (QI) - Full style:	
4.3	Oil Spill Response Organization (OSRO) - Full style:	
4.4	Salvage and Marine Firefighting Services (SMFF) - Full Style:	

#### 5. SAFETY/HELICOPTER

5.1	Is the vessel operated under a Quality Management System? If Yes, what type of system? (ISO9001 or IMO Resolution A.741(18) as amended):	Yes IMO Resolution A.741(18)			
5.2	Can the ship comply with the ICS Helicopter Guidelines?	N/A			
5.2.1	If Yes, state whether winching or landing area provided:				
5.2.2	If Yes, what is the diameter of the circle provided:	0 m			
<b>6.</b>	<b>COATING/ANODES</b>				
<b>Tank Coating</b>					
6.1	Tank Coating	Coated	Type	To What Extent	Anodes
	Cargo tanks:	Yes	Siloxirane marineline	Whole Tank	No
	Ballast tanks:	Yes	2 components	Whole Tank	No
	Slop tanks:	Yes	Stainless steel	Whole Tank	No
<b>7.</b>	<b>BALLAST</b>				
7.1	Pumps:	No.	Type	Capacity	At What Head (sg=1.0)
	Ballast Pumps:	1	Screw	250 m3/hr	0 m
	Ballast Eductors:	0		0 m3/hr	0 m
<b>8.</b>	<b>CARGO-CHEMICAL</b>				
<b>Double Hull Vessels</b>					
8.1	Is vessel fitted with centerline bulkhead in all cargo tanks? If Yes, solid or perforated:	Yes, Solid			
<b>Cargo Tank Capacities</b>					
8.2	Number of cargo tanks and total cubic capacity (98%):	12		3,281 m3	
8.2.1	Capacity (98%) of each natural segregation with double valve (specify tanks):	Seg#1: 270.8 m3 (1PS) Seg#2: 270.8 m3 (1SB) Seg#3: 373.6 m3 (2PS) Seg#4: 373.6 m3 (2SB) Seg#5: 281.6 m3 (3PS) Seg#6: 281.6 m3 (3SB) Seg#7: 132.2 m3 (4PS) Seg#8: 132.2 m3 (4SB) Seg#9: 350.6 m3 (5PS) Seg#10: 350.6 m3 (5SB) Seg#11: 232.6 m3 (6PS) Seg#12: 232.6 m3 (6SB)			
8.2.2	IMO class (Oil/Chemical Ship Type 1, 2 or 3):	2			
8.3	Number of slop tanks and total cubic capacity (98%):	2		49 m3	
<b>Cargo Handling and Pumping Systems</b>					
8.4	How many grades/products can vessel load/discharge with double valve segregation:	12			
8.4.1	State type of cargo containment (integral, independent, gravity or pressure tanks):				
8.5	Are there any cargo tank filling restrictions? If yes, specify number of slack tanks, max s.g., ullage restrictions etc.:	No			
8.6	Max loading rate for homogenous cargo	With VECS		Without VECS	
	Loaded per manifold connection:	m3/hr		200 m3/hr	
	Loaded simultaneously through all manifolds:	m3/hr		400.00 m3/hr	
<b>Cargo Control Room</b>					
8.7	Is ship fitted with a Cargo Control Room (CCR)?	Yes			
8.8	Can tank innage / ullage be read from the CCR?	Yes			
<b>Gauging and Sampling</b>					
8.9	Is gauging system certified and calibrated? If no, specify which ones are not calibrated:	Yes,			
	What type of gauging system as per IBC 13.1 is fitted	Closed			

	(Open/Restricted/Closed)?			
	Is a tank overflow control system fitted? If yes, then state if system includes automatic closing of valves?:	Yes, No		
8.10	Number of portable gauging units (example- MMC) on board:	2		
<b>Vapor Emission Control System (VECS)</b>				
8.11	Is a Vapour Emission Control System (VECS) fitted?	Yes		
8.12	Number/size of VECS manifolds (per side):	12	150 mm	
8.13	Number / size / type of VECS reducers:			
<b>Venting</b>				
8.14	State what type of venting system is fitted:	Mechanical with heating		
<b>Cargo Manifolds and Reducers</b>				
8.15	Total number / size of cargo manifold connections on each side:	12 / 150 mm		
8.15.1	Does the vessel have a Common Line Manifold connection? If yes, describe:	Yes, 1, 200 mm		
8.16	What type of valves are fitted at manifold:	Butterfly		
8.17	What is the material/rating of the manifold:	Stainless steel /		
8.18	Distance between cargo manifold centers:	350.00 mm		
8.19	Distance ships rail to manifold:	2,800.00 mm		
8.20	Distance manifold to ships side:	3,000.00 mm		
8.21	Top of rail to center of manifold:	670.00 mm		
8.22	Distance main deck to center of manifold:	1,700.00 mm		
8.23	Spill tank grating to center of manifold:	1,000.00 mm		
8.24	Manifold height above the waterline in normal ballast / at SDWT condition:	5.00 m	3.24 m	
8.25	Number / size / type of reducers:	3 x 100/150mm (4/6") 2 x 150/200mm (6/8") 1 x 200/200mm (8/8") DIN		
8.26	Is vessel fitted with a stern manifold? If yes, state size:	No, 0 mm		
<b>Heating</b>				
8.27	Cargo / slop tanks fitted with a cargo heating system?	Type	Coiled	Material
	Cargo tanks:	heating coils	Yes	SS
	Slop tanks:	Coils	Yes	SS
8.27.1	Is a Thermal Oil Heating system fitted? If yes, identify tanks?:	No,		
8.28	Maximum temperature cargo can be loaded / maintained:	80.0 Â°C / 176.0 Â°F	80 Â°C / 176 Â°F	
8.28.1	Minimum temperature cargo can be loaded / maintained:			
<b>Inert Gas and Crude Oil Washing</b>				
8.29	Is an Inert Gas System (IGS) fitted / operational?	No / Yes		
8.30	Is IGS supplied by flue gas, inert gas (IG) generator and/or nitrogen:	Nitrogen (Bottled)		
8.30.1	If nitrogen generator, specify the applicable flow rate for each of the designed purity modes:			
<b>Cargo Pumps</b>				
8.31	How many cargo pumps can be run simultaneously at full capacity:	4		
8.32	Pumps:	No.	Type	Capacity
	Cargo Pumps:	12	Centrifugal	70 M3/HR
	Cargo Eductors:	0		0 m3/hr
	Stripping:	1	Screw	30 m3/hr
8.33	Is at least one emergency portable cargo pump provided?	No		
<b>Tank Cleaning Systems</b>				
8.34	Is tank cleaning equipment fixed in cargo tanks?	Yes		
8.35	Is portable tank cleaning equipment provided?			
8.36	Tank washing pump capacity:	30.00 m3/hr		
8.37	Is a washing water heater fitted? If yes is it operational and state max washing	Yes,		

	water temperature:	80.00 Å°C				
8.38	What is the maximum number of machines that can be operated at their designed max pressure?	1				
<b>Other Deck Equipment</b>						
8.39	Is vessel fitted with a remote cargo tank temperature monitoring system. If yes, is it operational?	Yes, Yes				
8.40	Is vessel fitted with a remote cargo tank pressure monitoring system. If yes, is it operational?	Yes, Yes				
8.41	Is vessel fitted with a cargo tank drier. If yes is it operational and state capacity:	Yes, Yes, m3/hr				
8.42	Is vessel fitted with a cargo cooling system. If yes is it operational and state tanks applicable:	No, N/A,				
8.43	Is steam available on deck?	Yes				
<b>9. MOORING</b>						
9.1	Wires (on drums)	No.	Diameter	Material	Length	Breaking Strength
	Forecastle:	0	0 mm		0 m	0 MT
	Main deck fwd:	0	0 mm		0 m	0 MT
	Main deck aft:	0	0 mm		0 m	0 MT
	Poop deck:	0	0 mm		0 m	0 MT
9.2	Wire tails	No.	Diameter	Material	Length	Breaking Strength
	Forecastle:	0	0 mm		0 m	0 MT
	Main deck fwd:	0	0 mm		0 m	0 MT
	Main deck aft:	0	0 mm		0 m	0 MT
	Poop deck:	0	0 mm		0 m	0 MT
9.3	Ropes (on drums)	No.	Diameter	Material	Length	Breaking Strength
	Forecastle:	2	42.00 mm	Tipto winchline	160.00 m	340.00 MT
	Main deck fwd:	0	0 mm		0 m	0 MT
	Main deck aft:	2	42.00 mm	Tipto winchline	160.00 m	340.00 MT
	Poop deck:	0	0 mm		0 m	0 MT
9.4	Other lines	No.	Diameter	Material	Length	Breaking Strength
	Forecastle:	4	44.00 mm	Tipto eight	140.00 m	324.00 MT
	Main deck fwd:	0	0 mm		0 m	0 MT
	Main deck aft:	4	44.00 mm	Tipto eight	140.00 m	324.00 MT
	Poop deck:	0	0 mm		0 m	0 MT
9.5	Winches	No.	No. Drums	Motive Power	Brake Capacity	Type of Brake
	Forecastle:	1	Double Drums	Hydraulic	22.50 MT	
	Main deck fwd:	0			0 MT	
	Main deck aft:	1	Double Drums	Hydraulic	15.00 MT	
	Poop deck:	0			0 MT	
9.6	Bitts, closed chocks/fairleads	No. Bitts		SWL Bitts	No. Closed Chocks	SWL Closed Chocks
	Forecastle:	5		40 MT	4	40 MT
	Main deck fwd:	0		MT		MT
	Main deck aft:	3		40 MT		MT
	Poop deck:	0		MT	3	40 MT
<b>Anchors/Emergency Towing System</b>						
9.7	Number of shackles on port / starboard cable:	8 / 8				
9.8	Type / SWL of Emergency Towing system forward:	0 MT				
9.9	Type / SWL of Emergency Towing system aft:	0 MT				
<b>Escort Tug</b>						
9.10	What is size / SWL of closed chock and/or fairleads of enclosed type on stern:	Millimetres				0 MT

9.11	What is SWL of bollard on poop deck suitable for escort tug:			0 MT
<b>Lifting Equipment/Gangway</b>				
9.12	Derrick / Crane description (Number, SWL and location):	Cranes: 1 x 0.50 Tonnes Amidships		
9.13	Accommodation ladder direction:			
	Does vessel have a portable gangway? If yes, state length:	Yes		m
<b>Single Point Mooring (SPM) Equipment</b>				
9.14	Does the vessel meet the recommendations in the latest edition of OCIMF 'Recommendations for Equipment Employed in the Bow Mooring of Conventional Tankers at Single Point Moorings (SPM)'?	No		
9.15	If fitted, how many chain stoppers:	0		
9.16	State type / SWL of chain stopper(s):	0		0 MT
9.17	What is the maximum size chain diameter the bow stopper(s) can handle:	0 mm		
9.18	Distance between the bow fairlead and chain stopper/bracket:	0 m		
9.19	Is bow chock and/or fairlead of enclosed type of OCIMF recommended size (600mm x 450mm)? If not, give details of size:	N/A		
<b>10. PROPULSION</b>				
10.1	Speed		Maximum	Economical
	Ballast speed:		12 Kts (WSNP)	10 Kts (WSNP)
	Laden speed:		10 Kts (WSNP)	9 Kts (WSNP)
10.2	What type of fuel is used for main propulsion / generating plant:	Marine Gas Oil	Gas oil	
10.3	Type / Capacity of bunker tanks:	Fuel Oil: 0 m3 Diesel Oil: 0 m3 Gas Oil: 214.60 m3		
10.4	Is vessel fitted with fixed or controllable pitch propeller(s):	Controllable		
10.5	Engines	No	Capacity	Make/Type
	Main engine:	1	1,766 Kw	ABC 8DZC
	Aux engine:	2	283 Kw	Cummins WM23-TA
	Power packs:	1	m3	
	Boilers:	1	0 MT/Hr	
<b>Bow/Stern Thruster</b>				
10.6	What is brake horse power of bow thruster (if fitted):	Yes, 462.00 bhp		
10.7	What is brake horse power of stern thruster (if fitted):	No, 0 bhp		
<b>Emissions</b>				
10.8	Main engine IMO NOx emission standard:			
10.9	Energy Efficiency Design Index (EEDI) rating number:			
<b>11. SHIP TO SHIP TRANSFER</b>				
11.1	Does vessel comply with recommendations contained in OCIMF/ICS Ship To Ship Transfer Guide (Petroleum, Chemicals or Liquefied Gas, as applicable)?	Yes		
11.2	What is maximum outreach of cranes / derricks outboard of the ship's side:	3 m		
11.3	Date/place of last STS operation:	28-06-2016 Great Yarmouth		
<b>12. RECENT OPERATIONAL HISTORY</b>				
12.1	Last three cargoes / charterers / voyages (Last / 2nd Last / 3rd Last):			
12.2	Has vessel been involved in a pollution, grounding, serious casualty or collision incident during the past 12 months? If yes, full description:	Pollution: No, N/A Grounding: No, N/A Casualty: No, Repair: No, Collision: No, N/A		
12.3	Date and place of last Port State Control inspection:	Sep 06, 2016 / Antwerp		
12.4	Any outstanding deficiencies as reported by any Port State Control? If yes,	No		

	provide details:	N/A
12.5	Recent Oil company inspections/screenings (To the best of owners knowledge and without guarantee of acceptance for future business)*:  <i>*"Approvals" are not given by Oil Majors and ships are accepted for the voyage on a case by case basis.</i>	
12.6	Date / place of last SIRE inspection:	/
12.6.1	Date / place of last CDI inspection:	/
12.7	Additional information relating to features of the ship or operational characteristics:	

Revised 2018 ([INTERTANKO](#) / [Q88.com](#))